




Docket No.: 218072US6PCT

COMMISSIONER FOR PATENTS  
ALEXANDRIA, VIRGINIA 22313



ATTORNEYS AT LAW

RE: Application Serial No.: 10/030,121  
Applicants: Andrew SUTHERLAND, et al.  
Filing Date: May 24, 2002  
For: PIPE REPAIR DEVICE AND METHOD  
Group Art Unit: 3753  
Examiner: George L. Walton

SIR:


Attached hereto for filing are the following papers:

**Request To Reset The Office Action Response Due Date**

Our check in the amount of \$0.00 is attached covering any required fees. In the event any variance exists between the amount enclosed and the Patent Office charges for filing the above-noted documents, including any fees required under 37 C.F.R. 1.136 for any necessary Extension of Time to make the filing of the attached documents timely, please charge or credit the difference to our Deposit Account No. 15-0030. Further, if these papers are not considered timely filed, then a petition is hereby made under 37 C.F.R. 1.136 for the necessary extension of time. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,  
MAIER & NEUSTADT, P.C.



\_\_\_\_\_  
Gregory J. Maier  
Registration No. 25,599

Customer Number

**22850**

(703) 413-3000 (phone)  
(703) 413-2220 (fax)

James D. Hamilton  
Registration No. 28,421

**RECEIVED**  
FEB 27 2004  
TECHNOLOGY CENTER R3700

DOCKET NO: 218072US6PCT



IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF :  
ANDREW SUTHERLAND, ET AL. : EXAMINER: GEORGE L. WALTON  
SERIAL NO: 10/030,121 :  
FILED: MAY 24, 2002 : GROUP ART UNIT: 3753  
FOR: PIPE REPAIR DEVICE AND :  
METHOD :

REQUEST TO RESET THE OFFICE ACTION RESPONSE DUE DATE

COMMISSIONER FOR PATENTS  
ALEXANDRIA, VIRGINIA 22313

SIR:

In response to the Office Action dated February 10, 2004, please note the following  
remarks:

**Remarks/Arguments** begin on page 2 of this paper.

RECEIVED

FEB 27 2004

TECHNOLOGY CENTER R3700